

SECTION 9

REPORTING SAFETY DEFECTS FOR U.S. OWNERS AND CAMPER INFORMATION

Reporting safety defects for U.S. owners and camper information

Reporting safety defects for U.S. owners	584
Camper information	584

Reporting safety defects for U.S. owners

If you believe that your vehicle has a defect which could cause a crash or could cause injury or death, you should immediately inform the National Highway Traffic Safety Administration (NHTSA) in addition to notifying Toyota Motor Sales, U.S.A., Inc. (Toll-free: 1-800-331-4331).


If NHTSA receives similar complaints, it may open an investigation, and if it finds that a safety defect exists in a group of vehicles, it may order a recall and remedy campaign. However, NHTSA cannot become involved in individual problems between you, your dealer, or Toyota Motor Sales, U.S.A., Inc.

To contact NHTSA, you may call the Vehicle Safety Hotline toll-free at 1-888-327-4236 (TTY: 1-800-424-9153); go to <http://www.safercar.gov>; or write to: Administrator, NHTSA, 400 Seventh Street, SW., Washington, DC 20590. You can also obtain other information about motor vehicle safety from <http://www.safercar.gov>.


Camper information—

This information has been prepared in accordance with regulation issued by the National Highway Traffic Safety Administration of the U.S. Department of Transportation. It provides the purchasers and/or prospective purchasers of Toyota vehicles with information on truck-camper loading. Your Toyota dealer will help answer any questions you may have as you read this information.


—Center of gravity location




Regular cab models (with standard bed)




Double cab models (with standard bed)



Crew Max models



Regular cab models (with long bed)




Double cab models (with long bed)

The figures given in the illustration indicate the recommended center of gravity zone.

mm (in.)


	A	B
Regular cab models	1082	955
Double cab models	(42.6)	(37.6)
Crew Max models		

06 12.04



06 12.04

—Cargo weight rating and proper matching



CWR: Cargo Weight Rating

Engine	Drive	Cab	Bed	Grade	Passenger number	C.W.R	
						(kg)	(lb.)
1GR	2WD	Regular	Standard	—	3	474	1045
			Long		3	510	1125
2UZ	2WD		Standard		3	547	1205
			Long		3	592	1305
	4WD		Standard		3	519	1145
			Long		3	562	1240
3UR	2WD		Standard		3	515	1135
			Long		3	658	1450
	4WD		Standard		3	490	1080
			Long		3	628	1385

06 12.04

CWR: Cargo Weight Rating

Engine	Drive	Cab	Bed	Grade	Passenger number	C.W.R	
						(kg)	(lb.)
1GR	2WD	Double	Standard	SR5	6	181	400
2UZ	2WD		Standard	SR5	6	200	440
				Limited	5	284	625
			Long	SR5	6	184	405
	4WD		Standard	SR5	6	161	355
				Limited	5	243	535
			Long	SR5	6	145	320
3UR	2WD		Standard	SR5	6	261	575
				Limited	5	347	765
			Long	SR5	6	252	555
	4WD		Standard	SR5	6	225	495
				Limited	5	308	680
		Long	SR5	6	211	465	


06 12.04

CWR: Cargo Weight Rating

Engine	Drive	Cab	Bed	Grade	Passenger number	C.W.R	
						(kg)	(lb.)
2UZ	2WD	Crew Max	Short	SR5	6	147	325
				Limited	5	227	500
	4WD			SR5	6	113	250
				Limited	5	191	420
3UR	2WD			SR5	6	209	460
				Limited	5	304	670
	4WD			SR5	6	177	390
				Limited	5	254	560



When the truck is used to carry a slide-in camper, the total cargo load of the truck consists of the manufacturer's camper weight figure, the weight of installed additional camper equipment not included in the manufacturer's camper weight figure, the weight of camper cargo, and the weight of passengers in the camper.

The total cargo load should not exceed the truck's cargo weight rating and the camper's center of gravity should fall within the truck's recommended center of gravity zone when installed.

 CAUTION
<p>Be careful—overloading can cause dangerous braking and handling problems, and can damage your vehicle and its tires.</p>

06 12.04

—Gross axle and vehicle weight ratings



Secure loose items to prevent weight shifts that could affect the balance of your vehicle. When the truck camper is loaded, drive to a scale and weigh on the front and on the rear wheels separately to determine axle loads. Individual axle loads should not exceed either of the Gross Axle Weight Ratings (GAWR). The total of the axle loads should not exceed the Gross Vehicle Weight Rating (GVWR). These ratings are given on the vehicle certification label which is located on the door latch post on the left side of the vehicle. See "Your Toyota's identification" on page 449 in Section 2 for the Certification Label location. If weight ratings are exceeded, move or remove items to bring all weights below the ratings.

06 12.04

GAWR, GVWR

kg (lb.)

Cab type	Engine	Driving system	Bed type	GAWR		GVWR
				Front	Rear	
Regular	4.0 L V6 (1GR-FE)	2WD	Standard	1765 (3900)	1675 (3700)	2810 (6200)
			Long	1765 (3900)	1720 (3800)	2900 (6400)
	4.7 L V8 (2UZ-FE)	2WD	Standard	1765 (3900)	1790 (3950)	2990 (6600)
			Long	1765 (3900)	1835 (4050)	3080 (6800)
		4WD	Standard	1810 (4000)	1835 (4050)	3080 (6800)
			Long	1810 (4000)	1880 (4150)	3175 (7000)
	5.7 L V8 (3UR-FE)	2WD	Standard	1765 (3900)	1790 (3950)	2990 (6600)
			Long	1765 (3900)	1880 (4150)	3175 (7000)
		4WD	Standard	1810 (4000)	1835 (4050)	3080 (6800)
			Long	1810 (4000)	1880 (4150)	3265 (7200)

06 12.04

kg (lb.)

Cab type	Engine	Driving system	Bed type	Grade	GAWR		GVWR
					Front	Rear	
Double	4.0 L V6 (1GR-FE)	2WD	Standard	SR5	1765 (3900)	1720 (3800)	2900 (6400)
	4.7 L V8 (2UZ-FE)	2WD	Standard	SR5	1765 (3900)	1810 (4000)	3035 (6700)
				Limited	1765 (3900)	1810 (4000)	3035 (6700)
			Long	SR5	1765 (3900)	1835 (4050)	3080 (6800)
		4WD	Standard	SR5	1810 (4000)	1855 (4100)	3125 (6900)
				Limited	1810 (4000)	1855 (4100)	3125 (6900)
			Long	SR5	1810 (4000)	1880 (4150)	3175 (7000)
	5.7 L V8 (3UR-FE)	2WD	Standard	SR5	1765 (3900)	1855 (4100)	3125 (6900)
				Limited	1765 (3900)	1855 (4100)	3125 (6900)
			Long	SR5	1765 (3900)	1880 (4150)	3175 (7000)
		4WD	Standard	SR5	1810 (4000)	1880 (4150)	3220 (7100)
				Limited	1810 (4000)	1880 (4150)	3220 (7100)
			Long	SR5	1810 (4000)	1880 (4150)	3265 (7200)

06 12.04

kg (lb.)

Cab type	Engine	Driving system	Bed type	Grade	GAWR		GVWR
					Front	Rear	
Crew Max	4.7 L V8 (2UZ-FE)	2WD	Short	SR5	1765 (3900)	1835 (4050)	3080 (6800)
				Limited	1765 (3900)	1835 (4050)	3080 (6800)
		4WD		SR5	1810 (4000)	1880 (4150)	3175 (7000)
				Limited	1810 (4000)	1880 (4150)	3175 (7000)
	5.7 L V8 (3UR-FE)	2WD		SR5	1765 (3900)	1880 (4150)	3175 (7000)
				Limited	1765 (3900)	1880 (4150)	3175 (7000)
		4WD		SR5	1810 (4000)	1880 (4150)	3265 (7200)
				Limited	1810 (4000)	1880 (4150)	3265 (7200)

06 12.04