







Go beyond a victory lap.

The 2024 Toyota GR Supra is another step forward in Supra's remarkable 45-year history. Expert-tested on the raceway and equipped to conquer the streets, its turbocharged powerplant, impressive handling and racing-inspired interior bring you pure driving pleasure at every turn.















GR TOYOTA GAZOO Racing

Born on the track. Bred for the streets.

Passion fuels innovation, and it's our passion for motorsports that fuels Gazoo Racing (GR), Toyota's global racing division. Racing gives us the opportunity to challenge ourselves — to push the limits and create better cars. Collectively, we grow through every turn of the wrench and every turn of the wheel. This dedication led us to develop GR Supra, making racing-inspired sports cars accessible to the everyday driver and bringing the excitement of motorsports to the streets.



Motorsports DNA

Gazoo Racing started with our unrelenting passion for motorsports, and led to high-performance road cars with the DNA of motorsports. With heavy involvement from professional drivers and a track-proven formula for optimal engineering, the GR series was designed to leave a lasting impression.



Track-tested

Fine-tuned by track-proven drivers and master drivers like Akio Toyoda himself, every vehicle that's earned the GR badge has been thoroughly pushed, honed and perfected through extensive testing at racetracks across the globe. GR SUPRA 45TH ANNIVERSARY EDITION

A timeless model 45 years in the making.

Race-car-inspired and ready for the streets, the GR Supra 45th Anniversary Edition's Mikan Blast exterior color brings this legend to life. Matte-black 19-in. alloy wheels and a manually adjustable rear spoiler finish off the GT4-inspired look, while sport-tuned handling and a powerful engine help you take on exhilarating drives.









Distinctive exterior styling

Vibrant Mikan Blast paint and a nostalgic, heritage-inspired rear spoiler make the GR Supra 45th Anniversary Edition an insanely sought-after sports car at first sight. With black exterior side graphics and black brake calipers with a GR logo showing off its modern style, this edition maintains GR Supra's legendary pole position.

Premium interior

The details inside the 45th Anniversary Edition elevate the experience once you open the door. Leather-trimmed sport seats add purpose and a hint of refinement to every drive.

GR SUPRA 45TH ANNIVERSARY EDITION

Premium from the inside out.

With an exterior that tempts you to peek inside, the GR Supra 45th Anniversary Edition's design leaves nothing to be desired. The striking Mikan Blast color speaks volumes, even on crowded highways. And as you sit behind the wheel, leather-trimmed sport seats carry you in comfort, for an absolutely satisfying drive.



Outperform the usual.





368

155 mph, top racetrack speed² (electronically controlled)





6-speed Manual Transmission

Intensify the connection between you and your GR Supra. Available with a 6-speed intelligent Manual Transmission (iMT) that optimizes your revs as you shift, GR Supra puts 382 horsepower¹ and 368 lb.-ft. of torque at your fingertips. Take the reins as you go through every corner while the g-forces make you feel like you're sinking into your seat. It's time to personalize the power delivered to the rear wheels and find the sweet spot where your revs match up to your heartbeat.



3.0-liter turbocharged inline-six

The fire-breathing heart of GR Supra is its signature, turbocharged 3.0-liter inline 6-cylinder engine. Producing 382 horsepower¹ with an impressive 368 lb.-ft. of torque, this engine uses smart technologies like a twin-scroll turbocharger, Variable Valve Timing and an electric wastegate, giving you plenty of power and instant response.

Impressive under the hood.



5.0 seconds, 0-60²

295

lb.-ft. of torque

A balanced design

We took extraordinary measures to ensure that GR Supra 2.0 not only has a near-perfect weight balance, but also that its weight is placed in the right areas. Its powerplant was strategically placed to sit as low and as far back as possible, helping keep Supra's center of mass, well, in the center of the car, for optimum handling performance.





155 mph, top racetrack speed² (electronically controlled)



2.0-liter turbocharged inline-four

GR Supra 2.0 features a powerful turbocharged inline-four, rated at 255 horsepower¹ and 295 lb.-ft. of torque. Compact and lightweight, the dimensions of this powerplant allow it to sit far back in the engine bay, helping GR Supra 2.0 achieve a near-perfect weight balance.

HANDLING

Handle curves like a pro.

From high speeds to smooth turns — GR Supra is built to handle your most ambitious driving. Its available Adaptive Variable Suspension (AVS) allows you to exert maximum control through expert maneuvers, while available Brembo® brakes³ give you durable stopping power that's always on point.



Adaptive Variable Suspension

GR Supra's available Adaptive Variable Suspension (AVS) allows this sports car to transform from comfortable cruiser to track bruiser and back again — almost instantaneously.



Electronically controlled rear differential

GR Supra features an electronically controlled rear differential, for maximum stability and performance. Sensors detect wheel speed, engine rpm, yaw rate, brake pressure, throttle opening angle and steering angle information, and send this data to a main processor. In an instant, this processor can take this data and activate a multi-plate clutch, which can control the locking ratio between both wheels from 0 to 100 percent. For you, this means you can control your driving line with precision.





Brembo[®] brakes

Ready to take the heat, GR Supra's available Brembo[®] brakes³ are designed to give you firm, consistent braking force, on or off the track.



Complimentary 1-year NASA® membership

As part of this membership,⁴ GR Supra owners can hit the track with a NASA® professional for one free High-Performance Driving Experience (HPDE)⁵ and get discounted admission to NASA®-sanctioned events. New owners will also enjoy discounted pricing on select parts.



INTERIOR & TECHNOLOGY

Your wish is our command.

In GR Supra, convenience and design take center stage. Once you slip into the driver's seat, the attention to detail is striking. Then high-tech features like a Head-Up Display (HUD) and Supra Command put you comfortably in control, so you can focus on enjoying the drive.

Sport seats

GR Supra's seats are designed for maximum hold, offering deep, power-adjustable side bolsters and high-grip material to help keep you upright when the roads get sideways. Available 14-way power adjustment helps you find that perfect driving position, while available leather trim and three-stage heating features ensure that these sport seats help keep you feeling comfortable and refreshed on any drive.

Apple CarPlay® compatibility


Stay connected. Ditch the wires. GR Supra 3.0 Premium comes standard with wireless Apple CarPlay^{®6} compatibility. Simply pair your compatible iPhone^{®7} to access your favorite iOS apps[®] directly from GR Supra's 8.8-in. high-resolution display. You can get directions, make calls, send and receive messages, and listen to music, all in a way that allows you to stay focused on your drive.

Head-Up Display

Inspired by the same technology found in the world's most advanced fighter jets, GR Supra's available full-color Head-Up Display (HUD) puts crucial information front and center, so you can stay focused on the road. With just a glance, you can see your current speed and navigation info, check available Dynamic Radar Cruise Control (DRCC)⁹ settings, and more.

Supra Command

The Supra Command dial gives you access to GR Supra's key multimedia features. Its available touchsensitive surface lets you use your fingers to write in addresses for the navigation system and zoom in and out of the map. Selecting between functions is as simple as a twist and press of the dial. The dial is flanked by genuine carbon-fiber accents, to bring additional sports-car cred to this intuitive piece of tech.



A sense of safety.



Smart safety

GR Supra comes equipped with a number of intelligent safety features, including a Pre-Collision System¹⁰ with Pedestrian Detection,¹¹ Lane Departure Warning with Steering Assist,¹² Automatic High Beams¹³ and Speed Limit Information.¹⁴



No cost maintenance plan and Roadside Assistance

Every new Toyota comes with ToyotaCare,¹⁶ a maintenance plan that covers normal factory scheduled service for 2 years or 25,000 miles, whichever comes first, and 24-hour Roadside Assistance for 2 years, unlimited mileage.



Available front and rear parking sensors

Tech that helps detect what you might not. When you're parking, sensors on the front and rear of GR Supra scan for walls, curbs and other objects that might be hidden from your view.¹⁵ Should the system anticipate a collision, it will emit an audible alert, reduce engine or motor output, and automatically apply the brakes. Simulation shown.



Available Driver Assist Package

The available Driver Assist and Safety and Technology Packages' suite of active safety and convenience technologies adds peace of mind to every drive. The Blind Spot Monitor (BSM)¹⁷ system is designed to help alert you to vehicles hiding in your blind spot. When you're backing out of a driveway or parking spot, Rear Cross-Traffic Alert (RCTA)¹⁸ provides audible and visual indicators to warn you of approaching vehicles. And available Dynamic Radar Cruise Control (DRCC)⁹ helps with highway driving by keeping GR Supra at a preset distance from the vehicle ahead of it, automatically accelerating and braking as needed.

GR SUPRA MODELS



2.0 Includes these key features

Mechanical/Performance

- ✓ 2.0L twin-scroll single-turbo 4-cylinder engine
- ✓ 255 hp;¹ 295 lb.-ft. of torque
- ✓ Top racetrack speed: 155 mph² (electronically controlled)
- ✓ Active exhaust
- ✓ Launch Control¹⁹
- ✓ 8-speed AT with paddle shifters
- High-performance Michelin® Pilot® Super Sport tires²⁰ (summer tires) (F: 255/40 ZR18; R: 275/40 ZR18)

Exterior Features

- ✓ 6-lens auto-leveling LED headlights (three low-beam; three high-beam)
- ✓ Built-in rear spoiler
- Gloss-black auto-folding, heated outside mirrors with memory function
- 18-in. cast-aluminum 10-spoke wheels with dual-tone finish

Interior Features

- ✓ Smart Key System with Smart Entry and Start
- ✓ Alcantara®-trimmed²¹/leather-trimmed sport seats
- 8-way manual sport seats with 4-way lumbar and 2-way bolster adjustment
- ✓ Carbon-fiber interior trim
- Leather-wrapped 3-spoke steering wheel with paddle shifters

Audio Multimedia

- ✓ 4-speaker sound system
- ✓ 8.8-in. display screen with Supra Command featuring AM/FM, Digital Audio, SiriusXM^{®22} 3-month Platinum Plan trial subscription²² and USB²³/Bluetooth^{®24} wireless connectivity

Safety Features

- ✓ Electric Parking Brake (EPB)²⁵
- Pre-Collision System¹⁰ with Pedestrian Detection¹¹ (PCS w/PD)
- ✓ Lane Departure Warning with Steering Assist (LDW w/SA)¹²
- ✓ Automatic High Beams (AHB)¹³
- ✓ Rearview camera²⁶ with parking aid lines

Package

✓ Safety & Technology Package Plus JBL^{®27}: Safety included: Full-Speed Dynamic Radar Cruise Control (DRCC).²⁸ Blind Spot Monitor (BSM)¹⁷ with Rear Cross-Traffic Alert (RCTA).⁹⁸ parking sensors¹⁵ with emergency braking function. Technology included: 8.8-in. touchscreen with navigation,²⁹ 12-speaker 500W JBL[®] Audio²⁷ system with amplifier, touchpad rotary control, wireless Apple CarPlay^{®6} compatibility (iOS only), Speed Limit Information.¹⁴ Supra Connect³⁰ with up to 4-year trial; includes Remote Services,³¹ Remote Maintenance,³² Automatic Emergency Calling,³³ Real-Time Traffic Information,³⁴ Concierge,³⁵ Stolen Vehicle Recovery,³⁰ Map Updates,³⁶ 4G network dependent.



3.0

Adds to or replaces features offered on 2.0

Mechanical/Performance

- ✓ 3.0L twin-scroll single-turbo DOHC 24-valve
- inline 6-cylinder engine
- ✓ 382 hp;¹ 368 lb.-ft. of torque
- ✓ Top racetrack speed: 155 mph² (electronically controlled)
- ✓ Active exhaust
- ✓ Active rear sport differential
- ✓ Launch Control¹⁹
- ✓ 8-speed AT with paddle shifters
- Available 6-speed intelligent Manual Transmission (iMT)
- ✓ High-performance Michelin® Pilot® Super Sport tires³⁷ (summer tires) (F: 255/35 ZR19; R: 275/35 ZR19)

Exterior Features

- ✓ 6-lens auto-leveling LED headlights (three low-beam; three high-beam)
- ✓ Built-in rear spoiler
- Matte-black auto-folding, heated outside mirrors with memory function
- ✓ 19-in. frozen gunmetal gray forged-aluminum wheels

Interior Features

- Smart Key System with Smart Entry and Start
- ✓ Alcantara[®]-trimmed²¹/leather-trimmed sport seats
- ✓ 14-way power-adjustable sport seats with driver's-seat memory, including 4-way lumbar and 2-way bolster adjustment
- ✓ Carbon-fiber interior trim
- ✓ Leather-wrapped 3-spoke steering wheel with paddle shifters

Audio Multimedia

- ✓ 10-speaker HiFi sound system (205W)
- ✓ 8.8-in. display screen with Supra Command featuring AM/FM, Digital Audio, SiriusXM^{®22} 3-month Platinum Plan trial subscription²² and USB²³/Bluetooth^{®24} wireless connectivity

Safety Features

- ✓ Electric Parking Brake (EPB)²⁵
- Pre-Collision System¹⁰ with Pedestrian Detection¹¹ (PCS w/PD)
- ✓ Lane Departure Warning with Steering Assist (LDW w/SA)¹²
- ✓ Automatic High Beams (AHB)¹³
- ✓ Rearview camera²⁶ with parking aid lines

Package

Safety & Technology Package Plus JBL^{#27}: Safety included: (Automatic) Full-Speed Dynamic Radar Cruise Control (DRCC)²⁸ or (Manual) Dynamic Radar Cruise Control (DRCC),⁹ Blind Spot Monitor (BSM)¹⁷ with Rear Cross-Traffic Alert (RCTA),¹⁸ parking sensors¹⁵ with emergency braking function. Technology included: 8.8-in. touchscreen with navigation,²⁹ 12-speaker 500W JBL[®] Audio²⁷ system with amplifier, touchpad rotary control, wireless Apple CarPlay⁸⁶ compatibility (iOS only), Speed Limit Information,¹⁴ Supra Connect³⁰ with up to 4-year trial; includes Remote Services³¹ Remote Maintenance,³² Automatic Emergency Calling,³³ Real-Time Traffic Information,³⁴ Concierge,³⁵ Stolen Vehicle Recovery,³⁰ Map Updates.³⁶



GR TOYOTA GAZOO Racing

3.0 Premium Adds to or replaces features offered on 3.0

Mechanical/Performance

- ✓ 3.0L twin-scroll single-turbo DOHC 24-valve inline 6-cylinder engine
- ✓ 382 hp:1 368 lb.-ft. of torque
- ✓ Top racetrack speed: 155 mph² (electronically controlled)
 ✓ Active exhaust
- ✓ Active rear sport differential
- ✓ Launch Control¹⁹
- ✓ 8-speed AT with paddle shifters
- ✓ Available 6-speed intelligent Manual Transmission (iMT)
- ✓ High-performance Michelin® Pilot® Super Sport tires³⁷ (summer tires) (F: 255/35 ZR19; R: 275/35 ZR19)

Exterior Features

- ✓ 6-lens auto-leveling LED headlights (three low-beam; three high-beam)
- ✓ Built-in rear spoiler
- ✓ Matte-black auto-folding, heated outside mirrors with memory function
- ✓ 19-in. frozen gunmetal gray forged-aluminum wheels

Interior Features

- ✓ Smart Key System with Smart Entry and Start
- ✓ 14-way heated power-adjustable sport seats with driver's-seat memory, including 4-way lumbar and 2-way bolster adjustment

✓ Sport pedals

- ✓ Full-color Head-Up Display (HUD)
- ✓ Carbon-fiber interior trim
- ✓ Leather-wrapped 3-spoke steering wheel

Audio Multimedia

- ✓ 12-speaker JBL^{®27} HiFi Surround Sound system (500W)
- ✓ 8.8-in. touchscreen with Supra Command featuring touchpad control with navigation?⁹ AM/FM, Digital Audio, SiriusXM^{®22} 3-month Platinum Plan trial subscription?²² wireless Apple CarPlay^{®6} compatibility, voice recognition³⁸ and USB²³/Bluetooth^{®24} wireless connectivity
- ✓ Supra Connect³⁰ featuring Automatic Emergency Calling,³³ Roadside Assistance,³² Remote-Control Lock/Ventilation, Real-Time Traffic Information,³⁴ Map Updates³⁶ and Toyota Supra Online (services available online; app available on iOS⁸ and Android™³⁹).
 4G network dependent.
- ✓ Qi-compatible wireless smartphone charging⁴⁰ tray with light indicator

Safety Features

Package

✓ Driver Assist Package:

✓ Electric Parking Brake (EPB)²⁵

✓ Automatic High Beams (AHB)¹³

emergency braking function

✓ Rearview camera²⁶ with parking aid lines

 Pre-Collision System¹⁰ with Pedestrian Detection¹¹ (PCS w/PD)

✓ Lane Departure Warning with Steering Assist (LDW w/SA)¹²

Included: (Automatic) Full-Speed Dynamic Radar Cruise

Control (DRCC)28 or (Manual) Dynamic Radar Cruise

Control (DRCC),⁹ Blind Spot Monitor (BSM)¹⁷ with Rear Cross-Traffic Alert (RCTA),¹⁸ parking sensors¹⁵ with

See numbered footnotes in Disclosures section.

GR SUPRA MODELS



45th Anniversary Edition Adds to or replaces features offered on 3.0 Premium

Mechanical/Performance

- ✓ 3.0L twin-scroll single-turbo DOHC 24-valve
- inline 6-cylinder engine ✓ 382 hp;¹ 368 lb.-ft. of torque
- ✓ Top racetrack speed: 155 mph² (electronically controlled)
- ✓ Active exhaust
- ✓ Active rear sport differential
- ✓ Launch Control¹⁹
- ✓ 8-speed AT with paddle shifters
- ✓ Available 6-speed intelligent Manual Transmission (iMT)
- ✓ High-performance Michelin® Pilot® Super Sport tires³⁷ (summer tires) (F: 255/35 ZR19; R: 275/35 ZR19)

Exterior Features

- ✓ 6-lens auto-leveling LED headlights (three low-beam; three high-beam)
- ✓ Manually adjustable rear spoiler
- ✓ Black "Supra" side graphic
- ✓ Orange strut tower braces
- ✓ 19-in. matte-black forged-aluminum wheels

Interior Features

- ✓ Smart Key System with Smart Entry and Start
- ✓ Black leather-trimmed heated sport seats
- ✓ 14-way heated power-adjustable sport seats with driver's-seat memory, including 4-way lumbar and 2-way bolster adjustment
- ✓ Sport pedals
- ✓ Carbon-fiber interior trim
- ✓ Leather-wrapped 3-spoke steering wheel
- ✓ Carpet cargo mat with white contrast-stitched Supra logo

Audio Multimedia

- ✓ 12-speaker JBL^{®27} HiFi Surround Sound system (500W)
- ✓ 8.8-in. touchscreen with Supra Command featuring touchpad control with navigation,²⁹ AM/FM, Digital Audio, SiriusXM^{®22} 3-month Platinum Plan trial subscription,²² wireless Apple CarPlay^{®6} compatibility, voice recognition³⁸ and USB²³/Bluetooth^{®24} wireless connectivity
- ✓ Supra Connect³⁰ featuring Automatic Emergency Calling,³³ $Roadside \ Assistance, {}^{32} \ Remote-Control \ Lock/Ventilation,$ Real-Time Traffic Information,³⁴ Map Updates³⁶ and Toyota Supra Online (services available online; app available on iOS⁸ and Android^{™39}). 4G network dependent.
- ✓ Qi-compatible wireless smartphone charging⁴⁰ tray with light indicator

Safety Features

- ✓ Electric Parking Brake (EPB)²⁵
- ✓ Pre-Collision System¹⁰ with Pedestrian Detection¹¹ (PCS w/PD)
- ✓ Lane Departure Warning with Steering Assist (LDW w/SA)¹²
- ✓ Automatic High Beams (AHB)¹³
- ✓ Rearview camera²⁶ with parking aid lines
- ✓ (Automatic) Full-Speed Dynamic Radar Cruise Control (DRCC)²⁸ or (Manual) Dynamic Radar Cruise Control (DRCC)9
- ✓ Blind Spot Monitor (BSM)¹⁷ with Rear Cross-Traffic Alert (RCTA)18
- ✓ Parking sensors¹⁵ with emergency braking function



GR SUPRA COLORS & TRIMS*







Renaissance Red 2.0



Stratosphere41





Black leather trim



Hazelnut leather trim



Absolute Zero

Mikan Blast

GR SUPRA WHEELS



18-in. cast-aluminum 10-spoke wheels with dual-tone finish



19-in. frozen gunmetal gray forged-aluminum wheels



19-in. matte-black forged-aluminum wheels

GR SUPRA ACCESSORIES

Add a personal touch to your GR Supra with Genuine Toyota Accessories. Some accessories may not be available in all regions of the country. See your Toyota dealer for details.



Carbon-fiber mirror caps



Alloy wheel locks



Emergency assistance kit



Paint protection film⁴²



Carpet cargo mat



Cargo tote



First aid kit

WARRANTIES

Every Toyota Car, Truck and SUV is built to exceptional standards. And that's not idle boasting. We back it up with these Limited Warranty Coverages:

 $\ensuremath{\mathsf{Basic:}}$ 36 months/36,000 miles (all components other than normal wear and maintenance items).

Powertrain: 60 months/60,000 miles (engine, transmission/transaxle, drive system, seatbelts and airbags).

Rust-Through: 60 months/unlimited miles (corrosion perforation of sheet metal). Emissions: Coverages vary under Federal and California regulations. Refer to applicable Warranty and Maintenance Guide for details.

Accessories: For Genuine Toyota Accessories purchased at the time of the new vehicle purchase, the Toyota Accessory Warranty coverage is in effect for 36 months/36,000 miles from the vehicle's in-service date, which is the same coverage as the Toyota New Vehicle Limited Warranty.

For Genuine Toyota Accessories purchased after the new vehicle purchase the coverage is 12 months, regardless of mileage, from the date the accessory was installed on the vehicle, or the remainder of any applicable new vehicle warranty, whichever provides greater coverage.

You may be eligible for transportation assistance if it's necessary that your vehicle be kept overnight for repairs covered under warranty. Please see your authorized Toyota dealership for further details.

For complete details about Toyota's warranties, please visit www.toyota.com, refer to the applicable Warranty and Maintenance Guide or see your Toyota dealer.

GR SUPRA FEATURES⁴³

				45th Anniversary
Exterior	2.0	3.0	3.0 Premium	Edition
18-in. cast-aluminum 10-spoke wheels with dual-tone finish	S			
19-in. frozen gunmetal gray forged-aluminum wheels		S	S	
19-in. matte-black forged-aluminum wheels				S
High-performance Michelin® Pilot® Super Sport tires ²⁰ (summer tires) (F: 255/40ZR18; R: 275/40ZR18)	S			
High-performance Michelin® Pilot® Super Sport tires ³⁷ (summer tires) (F: 255/35ZR19; R: 275/35ZR19)		S	S	S
Black "Supra" side graphic				S
Orange strut tower braces				S
Gloss-black auto-folding, heated outside mirrors with memory	S			
Matte-black auto-folding, heated outside mirrors with memory		S	S	S
LED front turn signal indicators and Daytime Running Lights (DRL)	S	S	S	S
6-lens auto-leveling LED headlights (three low-beam; three high-beam)	S	S	S	S
LED taillights and rear combination lights	S	S	S	S
LED backup light	S	S	S	S
Auto-tilting passenger-side outside mirror (when in reverse)	S	S	S	S
Auto-dimming driver's-side outside mirror	S	S	S	S
Built-in rear spoiler	S	S	S	S
Manually adjustable rear spoiler				S
Aerodynamic underbody panel	S	S	S	S
Dual rear exhaust outlets with polished stainless steel exhaust tips	S			
Dual rear exhaust outlets with brushed stainless steel exhaust tips		S	S	S
Interior				
8.8-in. full-digital TFT LCD gauge cluster including tachometer, speedometer and MID	S	S	S	S
8-way manual sport seats with 4-way lumbar and 2-way bolster adjustment	S			
14-way power-adjustable sport seats with driver's-seat memory, including 4-way lumbar				
and 2-way bolster adjustment		S	S	S
Alcantara®-trimmed ²¹ /leather-trimmed sport seats	S	S		
Leather-trimmed sport seats			S	S
Large knee-support cushions	S	S	S	S
Carbon-fiber interior trim	S	S	S	S
Standard pedals	S	S		
Sport pedals			S	S
Leather-wrapped 3-spoke steering wheel with paddle shifters	S	S	S	S
Leather-wrapped 3-spoke steering wheel		0	0	0
Carpet cargo mat with white contrast-stitched Supra logo				S
Comfort/Convenience				
Smart Key System with Smart Entry and Start	S	S	S	S
Dual zone automatic climate control	S	S	S	S
Auto-dimming rearview mirror with garage door opener	S	S	S	S
Full-color Head-Up Display (HUD)	3	3	S	S
Heated seats			S	S
Automatic rain-sensing windshield wipers	S	S	S	S
	S	S	S	S
Manual tilt/telescopic steering column				
Lined, locking glove box Storage net for small items (passenger side)	S S	S S	S S	S S
Charging socket (DC12V) ⁴⁴ and USB port ²³ (1.5A)	S	S	3	3
Charging socket (DC12V) ⁴⁴ and USB port ²³ (2.1A)	3	3	S	S
Luggage compartment (10.2 cu. ft.) ⁴⁵ with bag hooks	S	S	S	S
Cruise Control ⁵⁴	S	S	S	S
Alarm and engine immobilizer ⁴⁶	S S	S S	S S	S S
Hill Start Assist Control (HAC)47	3	3	3	3

GR SUPRA FEATURES43

Audio Multimedia	2.0	3.0	3.0 Premium	45th Anniversary Edition
4-speaker sound system	S			
10-speaker HiFi sound system (205W)		S		
12-speaker JBL®27 HiFi Surround Sound system (500W)	0	0	S	S
8.8-in. display screen with Supra Command featuring AM/FM, Digital Audio, SiriusXM®22 with 3-month Platinum Plan trial subscription ²² and USB ²³ /Bluetooth®24 wireless connectivity	S	S		
8.8-in. touchscreen with Supra Command featuring touchpad control with navigation ²⁹ AM/FM, Digital Audio, SiriusXM ^{®22} with 3-month Platinum Plan trial subscription ²² wireless Apple CarPlay ⁸⁶ compatibility, voice recognition ³⁸ and USB ²³ /Bluetooth ^{®24} wireless connectivity	0	0	S	S
Toyota Supra Connect ³⁰ featuring Automatic Emergency Calling ³³ Roadside Assistance ³² Remote- Control Lock/Ventilation, Real-Time Traffic Information, ³⁴ Map Updates, ³⁶ and Toyota Supra Online (services available online; app available on iOS ⁸ and Android ^{TM39}). 4G network dependent.	0	0	S	S
Qi-compatible wireless charging ⁴⁰ tray with light indicator			S	S
Safety				
Directional parking lights	S	S	S	S
3-point seatbelts for both seating positions	S	S	S	S
Driver and front passenger Advanced Airbag System: ⁴⁸ front, side, curtain and knee airbags	S	S	S	S
Electric Parking Brake (EPB) ²⁵	S	S	S	S
Pre-Collision System ¹⁰ with Pedestrian Detection ¹¹ (PCS w/PD)	S	S	S	S
Lane Departure Warning with Steering Assist (LDW w/SA) ¹²	S	S	S	S
Automatic High Beams (AHB) ¹³	S	S	S	S
Rearview camera ²⁶ with parking aid lines	S	S	S	S
Vehicle Stability Control (VSC) ⁴⁹	S	S	S	S
Traction Control (TRAC)	S	S	S	S
Anti-lock Brake System (ABS)	S	S	S	S
Brake Assist (BA) ⁵⁰	S	S	S	S
Child restraint system on passenger side	S	S	S	S
Tire Pressure Monitor System (TPMS) ⁵¹	S	S	S	S

GR SUPRA SPECIFICATIONS

Nak Laby (Lik-Liynn)295/1550-400392/1300-500391/1800-500391/1800-500Lop metterk speed (electronically controlled)*55 mph155 mph155 mph155 mphDen statistic speed (electronically controlled)*22.0 s.94.622.0 s.94.620.0 s.9410.0 21	March and /David and				45th Anniversary
Transmissional Amerikana Mana Mana Mana Mana Mana Mana Mana	Mechanical/Performance	2.0	3.0	3.0 Premium	Edition
Dealler Serie Integre Monitage M	LAYOUT AND CHASSIS				
StartingSSSSAutorSSSSAUTORSSSAUTORSSSAUTORSSSAUTORSSSAUTORSSSAUTORSASSAUTORSASSAUTORSASASAAUTORSASASAAUTORSASASAAUTORSASASAAUTORSASASAAUTORSASASAAUTORSASASAAUTORSASASAAUTORSASASAAUTORSASASAAUTORSASSAAUTORSASSAUTORSASSAUTORSASSAUTORSASSAUTORSASSAUTORSASSAUTORSASSAUTORSASSAUTORSASSAUTORSASSAUTORSASSAUTORSASSAUTORSASSAUTORSASSAUTORSASSAUTORSASSAUTORSASS <tr< td=""><td>Front-engine, Rear-Wheel Drive (RWD)</td><td>S</td><td>S</td><td>S</td><td>S</td></tr<>	Front-engine, Rear-Wheel Drive (RWD)	S	S	S	S
Choose in origine hypeSSS200 more 120 more considered in 200 more of 000 more of 00	Double-joint-type MacPherson strut front suspension	S	S	S	S
NAME S S S 25. (short-sct01 single-duto DOHC 24-sale titile 6-splinder 5 3 3 3 3 26. (who-sct01 single-duto DOHC 24-sale titile 6-splinder 50 30 302/3600 6500 300 3000 6500 65000 302/3600 6500 </td <td>Multi-link independent rear suspension</td> <td>S</td> <td>S</td> <td>S</td> <td>S</td>	Multi-link independent rear suspension	S	S	S	S
2.12. bits and single statubalism of a formation o	Chassis braces in engine bay		S	S	S
30. obranch consistent and per and the sequence of the sequen	ENGINE				
3-60 mpl hearonip?5.03.93.93.93-60 mpl hearonip?25500-400392/3900-500392/3900 50	2.0L twin-scroll single-turbo inline 4-cylinder	S			
Hose and and priprint355,5000-600320/5000-600395/1000-500Hors cove (Lar-(Lar))259/1500-400396/1000-500396/1000-500In correct (Lar)155 mph155 mph155 mph155 mphNNNA SCHC/LINS10.210.2.110.2.110.2.1Sing at a control (Lar)10.210.2.110.2.110.2.1Displacement100210.2.110.2.110.2.1Displacement100210.2.110.2.110.2.1Displacement100210.2.110.2.110.2.1Displacement100210.2.110.2.110.2.1Displacement1000555Displacement10005555Signed Michigent Manuel Mane5555Signed Michigent Manuel Mane55555Signed Michigent Manuel Mane55555 </td <td>3.0L twin-scroll single-turbo DOHC 24-valve inline 6-cylinder</td> <td></td> <td>S</td> <td>S</td> <td>S</td>	3.0L twin-scroll single-turbo DOHC 24-valve inline 6-cylinder		S	S	S
Max tengor (b. Pr./pre)295/1501 4400306/11001 5000306/11001 500306/11001 500Prescripter Scenar (betrobundly controlled)*155 mph155 mph155 mph155 mphNOME SPECIFICATIONS20.9 94.682.0 94.682.0 94.682.0 94.682.0 94.682.0 94.6Prescripter Scenar (Stenar (S	0-60 mph (seconds) ²	5.0	3.9	3.9	3.9
ign nortnet speed (alcernoxality peet follower) NENNE SPECTRANOWS NEAR SPECTRANO	Max output (hp/rpm)1	255/5000-6500	382/5800-6500	382/5800-6500	382/5800-6500
NAME SCIENCEScienceScienceScienceStars Science10.20.0.210.0.210.0.210.0.21Science10.920.0.210.0.210.0.210.0.21Science10.9320.9320.9320.93Science10.930.0010.0010.0010.001Science10.910.0010.0010.0010.001Science10.910.0010.0010.0010.001Science10.9210.9210.920.0010.001Science10.9210.9210.9210.920.001Science10.9210.9210.9210.9210.9210.92Science10.9310.9	Max torque (lbft./rpm)	295/1550-4400	368/1800-5000	368/1800-5000	368/1800-5000
Base a standardB2.0.946.6<	Top racetrack speed (electronically controlled) ²	155 mph	155 mph	155 mph	155 mph
Comparison ratio10.210.2.110.2.110.2.1Insignameners1993Direct lipexionDirect lipexionDirect lipexionInglina en Capacity6.5 lares6.5 lares6.5 laresSepecial full handle inform and Manual Mode\$\$\$Sepecial full handle inform and Manual Mode\$\$\$Sepecial full handle inform and Manual Mode\$\$\$\$Sepecial full manual manufation (MT)000Common Control\$\$\$\$Sepecial full manufation (MT)00\$\$Sepecial full manufation (MT)\$\$\$\$Sepecial full full manufation (MT)\$\$\$\$Sepecial full full manufation (MT)\$\$\$\$Sepecial full full manufation (MT)\$\$\$\$\$Sepecial full full manufation (MT)\$\$\$\$\$Sepecial full full full full full full full fu	ENGINE SPECIFICATIONS				
Depletement199829982998Fuel systemDirect injectionDirect injectionDirect injectionDirect injectionFuel systemResource6.5 liters6.5 liters6.5 litersEngine et Lapackly6.5 liters6.5 liters6.5 liters6.5 litersBrageet Af Wah partiels ebiters and Manual MadeSSSSSepeet Affiliator Manual Transitison (MT)SSSSSepeet Affiliator Manual Transitison (MT)SSSSLative exhautsSSSSSView exhautsSSSSSMater angert differentialSSSSSMater angert differentialSSSSSMater angert differentialSSSSSSMater angert differentialSSSSSSMater angert differentialSSSSSSMater angert differentialSSSSSSSMater angert differentialSS	Bore x stroke, mm.	82.0 x 94.6	82.0 x 94.6	82.0 x 94.6	82.0 x 94.6
Direct rigetionDirect rigetio	Compression ratio	10.2	10.2:1	10.2:1	10.2:1
Peermannendeat lug lygePeermannen*Peermanne*Pe	Displacement	1998	2998	2998	2998
ingine oil capacity6.5 lites6.5 lites6.5 lites6.5 litesJARVETRAMSARVETRAMSepeed Af with paddle shifters and Manual MadeSSSSigned Integration Manual Manual MadeSSSSigned Af with paddle shifters and Manual MadeSSSSigned Af with staff ActorSSSSSigned Af with staff ActorSSSSSigned Af With SPECIFICATIONSSSSSSSigned Af With SPECIFICATIONSS <td< td=""><td>Fuel system</td><td>Direct injection</td><td>Direct injection</td><td>Direct injection</td><td>Direct injection</td></td<>	Fuel system	Direct injection	Direct injection	Direct injection	Direct injection
NAME Inspired Null park billers and Manual Mode S	Recommended fuel type	Premium52	Premium ⁵²	Premium ⁵²	Premium ⁵²
speed Af with paddie shifters and Manual Mode S S S S S S S S S S S S S S S S S S S	ingine oil capacity	6.5 liters	6.5 liters	6.5 liters	6.5 liters
speed intelligent Manual Transmission (MT)0000aunch ControllSSSSSkeine ansport differentialSSSSSkeine ansport differentialSS <td< td=""><td>DRIVETRAIN</td><td></td><td></td><td></td><td></td></td<>	DRIVETRAIN				
space intelligent Manual Transmission (MT)000aunch ControllSSSSActive controll differentialSSSSActive controllSSSSActive controllSSSSDAVETAIN SPECIFICATIONSSSSSDave ControllSSSSSDave ControllSSSSSSDave ControllSSSSSSSDave ControllSS <td< td=""><td>8-speed AT with paddle shifters and Manual Mode</td><td>S</td><td>S</td><td>S</td><td>S</td></td<>	8-speed AT with paddle shifters and Manual Mode	S	S	S	S
sunch Control ¹⁶ S S S S Ickbe var sport differential S S S S Ickbe var sport differential S S S S Deve orkhaut S <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
sktive rear sport differentialSSSStative skatuatSSSSVarband cengine start/stopSSSSZNEERAN SPECIFICATIONSSSSSSynce - Schoold AT/MSSSSSIt agearSSSSSSand gear3.3603.360/2.3153.360/2.3153.360/2.3153.360/2.315and gear1.7201.720/1.791.720/1.791.720/1.791.720/1.79Stop gear1.3161.316/11.316/11.316/11.316/1Stop gear1.0001.0000/0.4661.0000/0.4660.0400Stop gear0.0620.8220.8220.822Bit gear0.0620.8220.8220.822Bit gear0.0640.4040.6400.640Stop gear3.1543.1543.1543.154Stop gear3.1543.1543.1543.154Stop controlSSSSStop controlSSSSStop controlSSSSStop controlSSSSStop controlSSSSStop controlSSSSStop controlSSSSStop controlSSSSStop controlSSSSStop controlSSSS </td <td></td> <td>S</td> <td></td> <td></td> <td></td>		S			
S S S S S Nutmatic engine start/stop S S S S Nutmatic engine start/stop S S S S Stoperal A: Speed AT/MT S250 S.250/411 S.					
S S S S S DRUTEINA SPECIFICATIONS S S S DRUTEINA SPECIFICATIONS S S S S Sitt gear S.250 S.250/.11 S.250/.11 <td></td> <td>S</td> <td></td> <td></td> <td></td>		S			
Server Server Set					
Type — 8-Speed AT/MT 11 gear 5.250, 411 5.250, 411 5.250, 411 2nd gear 3.360, 2315 3.36		-			
1 st gear 5.250 5.250/4.11 5.250/4.11 5.250/4.11 2 nd gear 3.360 3.360/2.315 3.360/2.315 3.360/2.315 3 nd gear 1.360 1.372/1.542 2.177/1.542 2.177/1.542 4 th gear 1.720 1.720/1.179 1.720/1.179 1.720/1.179 5 th gear 1.316 1.316/1 1.316/1 1.316/1 1.316/1 6 th gear 0.082 0.822 0.822 0.822 0.822 8 th gear 0.084 0.640 0.640 0.640 0.640 7 th gear 3.154 3.154 3.154 3.154 3.154 8 terms and ratio 3.154 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
2nd gear 3.360 3.360/2.315 3.36 /2.315 3.360/2.315 3rd gear 2.172 2.172/1.542 2.172/1.542 2.172/1.542 4th gear 1.720 1.720/1.179 1.720/1.179 1.720/1.179 5th gear 1.316 1.316/1 1.316/1 1.316/1 1.316/1 6th gear 0.000 1.000/0.846 1.000/0.846 1.000/0.846 7th gear 0.082 0.822 0.822 0.822 8th gear 3.154 3.154 3.154 3.154 8th gear 3.712 3.712/3.727 3.712/3.727 3.712/3.727 Rear axte ratio 3.154 3.154 3.154 3.154 Stoperston,STEERING AND BRAKES S S S S Stoperston,STEERING AND BRAKES S		5 250	5 250 /4 44	5 250 /4 44	5 250 /4 44
3rd gar 2.172 2.172/1.542 2.172/1.542 2.172/1.542 4th gear 1.720 1.720/1.179 1.720/1.179 1.720/1.179 5th gear 1.316 1.316/1 1.1316/1 1.316/1 1.316/1 6th gear 0.000 1.000/0.846 1.000/0.846 1.000/0.846 1.000/0.846 7th gear 0.062 0.822 0.822 0.822 0.822 8th gear 0.064 0.640 0.640 0.640 0.640 Reverse 3.172 3.712/3.727 3.712/3.727 3.712/3.727 3.712/3.727 Rear axte ratio 3.154 3.154 3.154 3.154 3.154 Steprit-calibrated Electric Power Steering (PES); power-assisted rack-and-pinion S S S S Steprit-calibrated Electric Power Steering (PES); power-assisted rack-and-pinion S </td <td></td> <td></td> <td></td> <td></td> <td></td>					
4 th gear 1.720 1.720/1.179 1.720/1.179 1.720/1.179 5 th gear 1.316 1.316/1 1.316/1 1.316/1 6 th gear 1.000 1.000/0.846 1.000/0.846 1.000/0.846 7 th gear 0.062 0.822 0.822 0.822 8 th gear 0.064 0.640 0.640 0.640 Reverse 3.712 3.712,3.727 3.712,3.727 3.712,3.727 Rear allo 3.154 3.154 3.154 3.154 SUPENSION, STEERING AND BRAKES 5 5 5 Steering wheel turns (lock-to-lock) 2.1 2.1 2.1 2.1 Active Cornering Assist(ACA) 5 5 5 5 Stabilizer bar diameter, front/vear (ft.) – c.urb-to-c.urb 34.1 34.1 34.1 34.1 Adaptive Variable Sport (AVS) suspension 5 <					
Sh gear 1.316 1.316/1 1.300/0.846 1.000/0.85 <t< td=""><td></td><td></td><td></td><td></td><td></td></t<>					
6th gar 1.000 1.000/0.846 1.000/0.846 1.000/0.846 7th gar 0.082 0.822 0.822 0.822 8th gar 0.064 0.640 0.640 0.640 0.640 Reverse 3.712 3.712/3.727					
The gar 0.082 0.822 0.822 0.822 8th gar 0.064 0.640 0.640 0.640 Reverse 3.1712 3.712/3.727 3.712/3.727 3.712/3.727 Rear akic ratio 3.154 3.154 3.154 3.154 3.154 SUSPENSION, STEERING AND BRAKES 5 5 5 5 Steering wheel turns (lock-to-lock) 2.1 </td <td>-</td> <td></td> <td></td> <td></td> <td></td>	-				
Br oper 0.064 0.640 0.640 0.640 Reverse 3.712 3.712/3.727 3.712/3.727 3.712/3.727 Rar ax le ratio 3.154 3.154 3.154 3.154 3.154 SUSPENSION, STEEING AND BRAKES S S S S Steering wheel turns (lock-to-lock) 2.1 </td <td>-</td> <td></td> <td></td> <td>,</td> <td></td>	-			,	
Revise 3.712 3.712/3.727 3.712/3.727 3.712/3.727 Rear axle ratio 3.154 3.154 3.154 3.154 3.154 3.154 SUSPENSION, STEERING AND BRAKES S S S S S Sport-calibrated Electric Power Steering (EPS); power-assisted rack-and-pinion S S S S Steering wheel turns (Lock-to-lock) 2.1 2.1 2.1 2.1 2.1 Active Cornering Assist (ACA) S S S S S Uning diameter (ft) - curb-to-curb 34.1 34.1 34.1 34.1 Adaptive Variable Sport (AVS) suspension S S S S Bellizer bar diameter, fton/rear (mm.) 23.5/18.0 <td< td=""><td></td><td></td><td></td><td></td><td></td></td<>					
Rear axle ratio3.1543.1543.1543.154SUSPENSION, STEERING AND BRAKESSport-calibrated Electric Power Steering (EPS); power-assisted rack-and-pinionSSSSSteering wheel turns (lock-to-lock)2.12.12.12.12.1Active Cornering Assist (ACA)SSSSSUrning diameter (ft.) – curb-to-curb34.134.134.134.134.1Adaptive Variable Sport (AVS) suspensionSSSSSBeta diameter, front/rear (mm.)23.5/18.023.5/18.023.5/18.023.5/18.023.5/18.0BRAKES (FRONT)SS<					
SUSPENSION, STEERING AND BRAKES S S S S S S S S Sport-calibrated Electric Power Steering (EPS); power-assisted rack-and-pinion S <					
Sport-calibrated Electric Power Steering (EPS); power-assisted rack-and-pinion S S S S Steering wheel turns (lock-to-lock) 2.1	Rear axle ratio	3.154	3.154	3.154	3.154
Active Cornering Assist (ACA) 2.1 2.					
Active Connering Assist (ACA) S S S Suming diameter (ft.) – curb-to-curb 34.1 34.1 34.1 34.1 Adaptive Variable Sport (AVS) suspension S S S S Adaptive Variable Sport (AVS) suspension S S S S Adlow front and rear stabilizer bars S S S S S Stabilizer bar diameter, front/rear (mm.) 23.5/18.0					
Turning diameter (ft.) — curb-to-curb 34.1	Steering wheel turns (lock-to-lock)				
Additive Variable Sport (AVS) suspension S Additive Variable Sport (AVS) suspension S Additive Variable Sport (AVS) suspension S S Stabilizer bar diameter, front/rear (mm.) S S Stabilizer bar diameter, front/rear (mm.) S S Stabilizer bar diameter, front/rear (mm.) S S S S S S S S S S S S S S S S S S S	Active Cornering Assist (ACA)	S	S	S	S
Hollow front and rear stabilizer bars Stabilizer bar diameter, front/rear (mm.) Stabilizer bar diameter, front/rear (mm.) Stabilizer bar diameter, front/rear (mm.) Stabilizer bar diameter, front/rear (mm.) States (FRONT) Rotor type I-piston aluminum floating-caliper disc brakes Barembo ^{®3} 4-piston fixed-caliper disc brakes with red-painted calipers and silver Toyota Supra logo (front) States of s	Turning diameter (ft.) — curb-to-curb	34.1	34.1	34.1	34.1
Stabilizer bar diameter, front/rear (mm.) 23.5/18.0 23.5/18.	Adaptive Variable Sport (AVS) suspension		S	S	S
BARKES (FRONT) Rotor type Ventilated Ventil	Hollow front and rear stabilizer bars	S	S	S	S
Actor type Ventilated Ventilated <td>Stabilizer bar diameter, front/rear (mm.)</td> <td>23.5/18.0</td> <td>23.5/18.0</td> <td>23.5/18.0</td> <td>23.5/18.0</td>	Stabilizer bar diameter, front/rear (mm.)	23.5/18.0	23.5/18.0	23.5/18.0	23.5/18.0
I-piston aluminum floating-caliper disc brakes BRAKES (REAR) Rotor size, diameter x thickness, mm. (in.) Rotor size, diameter x thickness, mm. (in.)	BRAKES (FRONT)				
Brembo ^{®3} 4-piston fixed-caliper disc brakes (front) S Brembo ^{®3} 4-piston fixed-caliper disc brakes with red-painted calipers and silver Toyota Supra logo (front) S Brembo ^{®3} 4-piston fixed-caliper disc brakes with black-painted calipers and GR logo (front) S Brembo ^{®3} 4-piston fixed-caliper disc brakes with black-painted calipers and GR logo (front) S Rotor size, diameter x thickness, mm. (in.) 330 mm. x 24 mm. (13 in. x .94 in.) 348 mm. x 36 mm. (13.7 in. x 1.4 in.) 348 mm. x 36 mm. (13.7 in. x 1.4 in.) BRAKES (REAR) Ventilated Ventilated Ventilated Ventilated 1-piston aluminum floating-caliper disc brakes with red floating calipers S N/A N/A 1-piston cast-iron disc brakes with red floating calipers S S S Rotor size, diameter x thickness, mm. (in.) 330 mm. x 20 mm. 345 mm. x 24 mm. 345 mm. x 24 mm. 345 mm. x 24 mm. 345 mm. x 24 mm.	Rotor type	Ventilated	Ventilated	Ventilated	Ventilated
Bernbores 4-piston fixed-caliper disc brakes with red-painted calipers and genebores 4-piston fixed-caliper disc brakes with black-painted calipers and GR logo (front) S Brembores 4-piston fixed-caliper disc brakes with black-painted calipers and GR logo (front) S Rotor size, diameter x thickness, mm. (in.) 330 mm. x 24 mm. (13.7 in. x 1.4 in.) 348 mm. x 36 mm. (13.7 in. x 1.4 in.) 345 mm. x 20 mm. S S S S S	-piston aluminum floating-caliper disc brakes	S			
silver Toyota' Supra logo (front) S Brembo ^{®3} 4-piston fixed-caliper disc brakes with black-painted calipers and GR logo (front) 348 mm. x 36 mm. Rotor size, diameter x thickness, mm. (in.) 348 mm. x 36 mm. BRAKES (REAR) Rotor type Ventilated Ventilated Ventilated Ventilated Ventilated Ventilated I-piston aluminum floating-caliper disc brakes with red floating calipers S Rotor size, diameter x thickness, mm. (in.) 330 mm. x 20 mm. 330 mm. x 20 mm. 345 mm. x 24 mm. 345 mm. x 24 mm. Brakets (REAR) Rotor type S Rotor size, diameter x thickness, mm. (in.) 345 mm. x 24 mm. Horiston aluminum floating-caliper disc brakes S Rotor size, diameter x thickness, mm. (in.) 345 mm. x 24 mm. Brakets (REAR) Rotor size, diameter x thickness, mm. (in.) 345 mm. x 24 mm. Brakets (REAR) Brakets (REAR) Braket	Brembo®3 4-piston fixed-caliper disc brakes (front)		S		
Are made of a lage of fixed-caliper disc brakes with black-painted calipers and GR logo (front) S Rotor size, diameter x thickness, mm. (in.) 330 mm. x 24 mm. (13 in. x .94 in.) 348 mm. x 36 mm. (13.7 in. x 1.4 in.) 345 mm. x 24 mm. so the set of th	Brembo®3 4-piston fixed-caliper disc brakes with red-painted calipers and				
and GR logo (front) \$\$ Rotor size, diameter x thickness, mm. (in.) 330 mm. x 24 mm. (13.7 in. x 1.4 in.) 348 mm. x 36 mm. (13.7 in. x 1.4 in.) 348 mm. x 36 mm. (13.7 in. x 1.4 in.) 348 mm. x 36 mm. (13.7 in. x 1.4 in.) 348 mm. x 36 mm. (13.7 in. x 1.4 in.) 348 mm. x 36 mm. (13.7 in. x 1.4 in.) 348 mm. x 36 mm. (13.7 in. x 1.4 in.) 348 mm. x 36 mm. (13.7 in. x 1.4 in.) 348 mm. x 36 mm. (13.7 in. x 1.4 in.) 348 mm. x 36 mm. (13.7 in. x 1.4 in.) 1(3.7 in. x 1.4 in.) (13.7 in. x 1.4 in.) 1(3.7 in. x 1.4 in.) </td <td>ilver Toyota Supra logo (front)</td> <td></td> <td></td> <td>S</td> <td></td>	ilver Toyota Supra logo (front)			S	
Rotor size, diameter x thickness, mm. (in.)330 mm. x 24 mm. (13 in. x .94 in.)348 mm. x 36 mm. (13.7 in. x 1.4 in.)348 mm. x 36 mm. (13.7 in. x 1.4 in.)348 mm. x 36 mm. x 36 mm. (13.7 in. x 1.4 in.)348 mm. x 36 mm. x 36 mm. x 36 mm. (13.7 in. x 1.4 in.)348 mm. x 36 mm. (13.7 in. x 1.4 in.)348 mm. x 36 mm. x 20 mm.BRAKES (REAR)VentilatedVentilatedVentilatedVentilated-piston aluminum floating-caliper disc brakesSSN/AN/A-piston cast-iron disc brakes with red floating calipersSSSRotor size, diameter x thickness, mm. (in.)330 mm. x 20 mm.330 mm. x 20 mm.345 mm. x 24 mm.345 mm. x 24 mm.					s
BRAKES (REAR) Ventilated					348 mm. x 36 mm
Rotor type Ventilated Ventilated Ventilated Ventilated I-piston aluminum floating-caliper disc brakes S S N/A N/A I-piston cast-iron disc brakes with red floating calipers S S S S Rotor size, diameter x thickness, mm. (in.) 330 mm. x 20 mm. 345 mm. x 24 mm. 345 mm. x 24 mm. 345 mm. x 24 mm.	BRAKES (REAR)	(13 III. X . 94 III.)	(13.7 III. X 1.4 III.)	(13.7 III. X 1.4 III.)	(13.7 iff. X 1.4 ff).
I-piston aluminum floating-caliper disc brakes S N/A N/A I-piston cast-iron disc brakes with red floating calipers S S Rotor size, diameter x thickness, mm. (in.) 330 mm. x 20 mm. 330 mm. x 20 mm. 345 mm. x 24 mm. 345 mm. x 24 mm.		Ventilated	Ventilated	Ventilated	Ventilated
I-piston cast-iron disc brakes with red floating calipers S S Rotor size, diameter x thickness, mm. (in.) 330 mm. x 20 mm. 330 mm. x 20 mm. 345 mm. x 24 mm. 345 mm. x 24 mm.					
Rotor size, diameter x thickness, mm. (in.) 330 mm. x 20 mm. 330 mm. x 20 mm. 345 mm. x 24 mm. 345 mm. x 24 mm.					
		330 mm. x 20 mm	330 mm. x 20 mm		345 mm. x 24 mm
					(13.6 in. x 0.94 in.)

GR SUPRA SPECIFICATIONS

Dimensions	2.0	3.0	3.0 Premium	45th Anniversary Edition
EXTERIOR				
Length (in.)	172.5	172.5	172.5	172.5
Width (in.)	73.0	73.0	73.0	73.0
Height (in.)	51.1	50.9	50.9	50.9
Ground clearance (in.)	4.7	4.5	4.5	4.5
Wheelbase (in.)	97.2	97.2	97.2	97.2
Track width (front/rear) (in.)	62.8/62.6	62.8/62.6	62.8/62.6	62.8/62.6
INTERIOR				
Head room (in.)	38.3	38.3	38.3	38.3
Shoulder room (in.)	54.4	54.4	54.4	54.4
Leg room (in.)	42.2	42.2	42.2	42.2
Hip room (in.)	54.2	54.2	54.2	54.2
Tires				
Michelin® Pilot® Super Sport tires:	F: 255/40 ZR18 ²⁰ R: 275/40 ZR18 ²⁰	F: 255/35 ZR19 ³⁷ R: 275/35 ZR19 ³⁷	F: 255/35 ZR19 ³⁷ R: 275/35 ZR19 ³⁷	F: 255/35 ZR19 ³⁷ R: 275/35 ZR19 ³⁷
Wheel diameter x width (in.)	F: 18 x 9; R: 18 x 10	F: 19 x 9; R: 19 x 10	F: 19 x 9; R: 19 x 10	F: 19 x 9; R: 19 x 10
Spare tire — repair kit included	S	S	S	S
Weights and Capacities				
Power-to-weight ratio (curb weight, lbs./hp)	12.47	8.90	8.90	8.90
Curb weight (lbs.)	3181	3400	3400	3400
Gross Vehicle Weight Rating (GVWR) (lbs.)	3770	4001	4001	4001
Seating capacity	2	2	2	2
Passenger volume (cu. ft.)	50.9	50.9	50.9	50.9
Cargo volume (trunk) (cu. ft.)45	10.2	10.2	10.2	10.2
Fuel capacity (gal.)	13.7	13.7	13.7	13.7
Mileage Estimates (mpg city/highway/combined)53				
Automatic Transmission	25/31/27	23/31/26	23/31/26	23/31/26
Manual Transmission		19/27/21	19/27/21	19/27/21

DISCLOSURES

1. Ratings achieved using the required premium unleaded gasoline with an octane rating of 91 or higher for GR Supra 2.0, and an octane rating of 93 or higher for GR Supra 3.0. If premium fuel is not used, performance will decrease. 2. Performance figures are for comparison only and were obtained with prototype vehicles by professional drivers. 3. High-friction brakes may require more maintenance, be louder and have a shorter life than conventional brakes, depending on driving conditions. See the Warranty and Services Guide for more information. Brembo® is a registered trademark of Freni Brembo SpA. 4. NASA membership is non-transferable and expires 1 year after purchase of your GR vehicle. The 1-day High Performance Driving Event (HPDE) is included as a membership benefit and must be redeemed within 1 year from the time of purchase of your vehicle. NASA membership and complimentary HPDE are not redeemable for cash or any other offer. 5. Valid in U.S. only. For qualified drivers over 18 years of age, with a valid driver's license. Participation in highperformance driving creates a risk of personal injury or death and may cause damage to your vehicle that is not covered by your insurance or warranty. Please refer to your insurance policy and your vehicle's Warranty and Maintenance Guide that describes the terms and conditions of Toyota's New Vehicle Limited Warranty coverage as well as general owner responsibilities. 6. Available on select GR Supra models. Requires compatible smartphone. Operability depends on network availability and other factors. Operability depends on network availability, a cellular connection and GPS signal. Services subject to change at any time without notice. Terms of Use apply. Data charges may apply. See Owner's Manual or www.supraconnect.com for service details and limitations. For Supra Connect data collection, use, sharing and retention practices, please visit Supra Connect Terms and Conditions. Apple CarPlay® is a registered trademark of Apple Inc. 7. iPhone® is a registered trademark of Apple Inc. All rights reserved. 8. Available on select GR Supra models. Apps available only on iOS devices, vary by phone carrier, and are subject to change at any time without notice. Data charges may apply. See supraconnect.com for details. 9. Dynamic Radar Cruise Control is not a substitute for safe and attentive driving. See Owner's Manual for limitations. 10. The Pre-Collision System is designed to help reduce the crash speed and damage in certain frontal collisions only. It is not a collision-avoidance system and is not a substitute for safe and attentive driving. System effectiveness depends on many factors including road, weather and vehicle conditions. See Owner's Manual for limitations. 11. The Pedestrian Detection system is designed to detect a pedestrian or bicyclist ahead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrian or bicyclist, and weather, light and road conditions. See Owner's Manual for additional limitations and details. 12. Lane Departure Warning with Steering Assist is designed to read visible lane markers under certain conditions. It provides a visual and audible alert, and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions. See Owner's Manual for additional limitations and details. 13. See Owner's Manual for instructions and limitations. 14. Do not rely exclusively on the Speed Limit Information (SLI) feature. SLI provides information to the driver when data is available. Effectiveness is dependent on many conditions. Use common sense when using SLI and follow posted speed limit signs. See Owner's Manual for additional limitations and details. 15. The Parking Sensors system is designed to assist drivers in avoiding potential collisions at very slow speeds. Certain vehicle and environmental factors, including an object's shape and composition, may affect the ability of the system to detect it. Always look around outside the vehicle and use mirrors to confirm clearance. See Owner's Manual for limitations. 16. ToyotaCare covers normal factory scheduled maintenance for two years or 25,000 miles, whichever comes first, and 24-hour Roadside Assistance is included for two years, unlimited mileage (Note: bZ4X, Mirai, Prius and Prius Prime include enhanced ToyotaCare and/or Roadside Assistance). Roadside Assistance limits towing distances and locations and does not include parts and fluids, except emergency fuel delivery for certain vehicles. Excludes rental company fleet sale vehicles. See your Toyota dealer for additional restrictions and exclusions. Valid only in the continental U.S. 17. Do not rely exclusively on Blind Spot Monitor. Look over shoulder and use turn signal. See Owner's Manual for limitations 18. Do not rely exclusively on the Rear Cross-Traffic Alert. Visually confirm clearance during use. See Owner's Manual for limitations. 19. Launch Control is not intended for use on public roads or for repeated short-interval use. See Owner's Manual for additional limitations and details. 20. 18-in. performance tires are expected to experience greater tire wear than conventional tires. Tire life may be substantially less than mileage expectancy or 20,000 miles, depending on driving conditions. 21. Alcantara® is a registered trademark of Alcantara S.p.A. 22. Trial length and service availability may vary by model, model year or trim. Service will automatically stop at the end of your trial subscription period unless you decide to continue service. If you do not wish to enjoy your trial, you can cancel by calling the number below. All SiriusXM services require a subscription, each sold separately by SiriusXM after the trial period. Service subject to the SiriusXM Customer Agreement and Privacy Policy; visit www.siriusxm.com to see complete terms and how to cancel which includes calling 1-866-635-2349. Some services and features are subject to device capabilities and location availability. All fees, content and features are subject to change. SiriusXM, Pandora and all related logos are trademarks of Sirius XM Radio Inc. and its respective subsidiaries. 23. May not be compatible with all mobile phones, smart devices, tablets, e-readers, MP3/WMA players and like models. 24. A compatible Bluetooth®-enabled phone must first be paired. Phone performance depends on software, coverage and carrier. The Bluetooth® word mark and logos are registered trademarks of Bluetooth SIG, Inc. Use of such marks by Toyota is under license. 25. When the system is on, Electric Parking Brake is designed to engage the Parking Brake under limited conditions. It may not hold the vehicle under all conditions. See Owner's Manual for additional limitations and details. 26. The backup camera does not provide a comprehensive view. Always look over shoulder and use outside mirrors. See Owner's Manual for limitations, 27. JBL® is a registered trademark of Harman International Industries, Inc. 28. Full-Speed Range Dynamic Radar Cruise Control is not a substitute for safe and attentive driving. See Owner's Manual for instructions and limitations. 29. Available on select GR Supra models. Includes a 4-year trial period. Paid subscription required after trial. Services require 4G cellular network availability, a cellular connection and GPS signal. Without any one or more of these things, operability and availability may be limited or precluded. Service not available in every city or roadway. Use common sense when relying on information provided. Service is subject to change at any time without notice. Data charges may apply. For service details and limitations, see your Navigation System Owner's Manual and www.supraconnect.com. For Supra Connect data collection, use, sharing and retention practices, please visit Supra Connect Terms and Conditions. 30. Available on select GR Supra models. Includes a 4-year trial period, except Enhanced Roadside Assistance, which is a 2-year period. Enrollment in a paid subscription required upon expiration of trial period. Services are dependent upon an operative telematics device, a cellular connection, navigation map data, GPS signal strength, and other factors, all of which can limit system functionality or availability, including access to response center and emergency support. Stolen vehicle police report required for use of Stolen Vehicle Recovery. Apps and services subject to change at any time without notice. Data charges may apply. For service details and limitations, see your Owner's Manual or supraconnect.com, and to learn about Supra Connect data collection, use, sharing and retention practices, visit Supra Connect Terms and Conditions. 31. Available on select GR Supra models. Includes a 4-year trial period. Enrollment in paid subscription required upon expiration of trial period. Services depend on an operative telematics device, a cellular connection, GPS signal strength, and other factors, all of which can limit system functionality or availability. Services subject to change at any time without notice. Data charges may apply. For service details and limitations, see your Owner's Manual or supraconnect. com, and to learn about Supra Connect data collection, use, sharing and retention practices, please visit Supra Connect Terms and Conditions. 32. Available on select GR Supra models Includes 4-year trial period for Battery Guard and 2 years for Roadside Assistance. Enrollment in paid subscription required upon expiration of trial period. Services depends on an operative telematics device, a cellular connection, and other factors, all of which can limit system functionality or availability. Roadside Assistance does not include parts and fluids, except emergency fuel delivery. Services may vary by region and are subject to change at any time without notice. Data charges may apply. For service details and limitations, see your Owner's Manual or www.supraconnect.com. 33. Available on select GR Supra models. Includes 4-year trial. Paid subscription required after trial. Services require 4G network availability, a cellular connection and GPS signal. Without any one or more of these things, operability and availability may be limited or precluded, including access to response center and emergency support. Service is subject to change at any time without notice. Terms of Use apply. Data charges may apply. See Owner's Manual or supraconnect.com for service details and limitations. For Supra Connect data collection, use, sharing and retention practices, please visit Supra Connect Terms and Conditions. 34. Available on select GR Supra models Includes a 4-year trial period. Enrollment in a paid subscription is required upon expiration of trial period. Navigation must be functioning, and destination entered for service to function. Service depends on an operative telematics device, a cellular connection, GPS signal strength, and other factors, all of which can limit system functionality or availability. Services not available in every city or roadway. Use common sense when relying on information provided. Service subject to change at any time without notice. For service details and limitations, see your Navigation System Owner's Manual or supraconnect.com. 35. Available on select GR Supra models. Paid subscription required after trial. Services require 4G network availability, a cellular connection and GPS signal. Without any one or more of these things, operability and availability may be limited or precluded, including access to response center and emergency support. Service is subject to change at any time without notice. Terms of Use apply. Data charges may apply. See Owner's Manual or www.supraconnect.com for service details and limitations. For Supra Connect data collection, use, sharing and retention practices, please visit Supra Connect Terms and Conditions. 36. Available on select GR Supra models. Includes a 4-year trial period. Paid subscription required after trial, which provides up to 4 updates/year. Map updates based on your current North American region. If you relocate to a new region, the user region will be updated automatically after 45 days in that region. You can also visit your GR Supra dealer to have your map data manually updated, which may be at an additional cost to you. Services require 4G network availability, a cellular connection and GPS signal. Without any one or more of these things, operability and availability may be limited or precluded. Service is subject to change at any time without notice. Terms of Use apply. Data charges may apply. See Owner's Manual or www.supraconnect.com for service details and limitations. For Supra Connect data collection, use, sharing and retention practices, please visit Supra Connect Terms and Conditions. 37. 19-in. performance tires are expected to experience greater tire wear than conventional tires. Tire life may be substantially less than mileage expectancy or 20,000 miles, depending on driving conditions. 38. Voice recognition capabilities vary by head unit. 39. Google, Android, Android Auto, YouTube Music and other marks are trademarks of Google LLC. 40. Charging may not be compatible with all mobile phones, smart devices, tablets, e-readers, MP3/WMA players and like products. 41. Extra-cost color. 42. Genuine Toyota Paint Protection Film by 3MTM is designed for specific sections of the vehicle most prone to chipping and may vary depending on vehicle model. Select applications may require an additional charge. Toyota Genuine Accessory Warranty only applies when installation is performed by a trained Toyota-approved installer. See Toyota dealer for details. 43. Toyota strives to build vehicles to match customer interest and thus they typically are built with popular options and option packages. Not all options/packages are available separately and some may not be available in all regions of the country. See toyota.com for information about options/packages commonly available in your area. If you would prefer a vehicle without any or with different options, contact your dealer to check for current availability or the possibility of placing a special order. Color(s) depicted may vary based on multiple factors, including ambient lighting and the format in which it is being viewed (e.g. computer, mobile device or print). 44. Rated for 12 volts/10 amps. See Owner's Manual for additional limitations and details. 45. Cargo and load capacity limited by weight and distribution. Always properly secure cargo and cargo area. 46. The engine immobilizer is a state-of-the-art anti-theft system initiated when the key is inserted into ignition switch or a Smart Key fob is in/near the vehicle. Engine will only start if the code in the transponder chip inside the key/fob matches the code in vehicle's immobilizer. The transponder chip is embedded in the key/fob and can be costly to replace. For lost key or fob, see a Toyota dealer or go to www.aloa.org to find a qualified locksmith for high-security key service 47. Hill Start Assist Control is designed to minimize backward rolling on steep ascents. Not a substitute for safe driving judgment and practices. Speed, grade, surface conditions, driver

DISCLOSURES

input, etc., can all affect HAC function. See *Owner's Manual.* **48.** Airbag systems supplement the seatbelts and are designed to inflate only under certain conditions and in certain types of severe collisions. Always wear seatbelt, sit upright in middle and as far back in seat as possible to help decrease risk of injury. Do not put objects in front of an airbag. See *Owner's Manual* for limitations. **49.** Vehicle Stability Control is not a substitute for safe and attentive driving practices. Factors including speed, road conditions, weather and steering input can affect whether VSC will be effective. See *Owner's Manual* for limitations. **50.** Brake Assist is designed to help the driver take advantage of ABS and is not a substitute for safe driving practices. Braking effectiveness also depends on proper vehicle maintenance, tire and road conditions. See *Owner's Manual* for alditional limitations and details. **51.** The Tire Pressure Monitor System alerts the driver when tire pressure is critically low. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge; do not rely solely on the monitor system. See *Owner's Manual* for limitations and details. **52.** Ratings achieved using the required premium unleaded gasoline with an octane rating of 91 (AKI) or higher. If premium fuel is not used, performance will decrease. If unleaded gasoline with an octane rating of 91 (AKI) is not available, unleaded gasoline with an octane rating of 89 (AKI) may be used. See *Owner's Manual* for details. **53.** EPA-estimated 25 city/31 hwy/27 combined mpg rating for 2024 GR Supra 3.0 PT, 3.0 Premium MT and 45th Anniversary Edition AT; EPA-estimated 9 city/27 hwy/21 combined mpg rating for 2024 GR Supra 3.0 MT, 3.0 Premium MT and 45th Anniversary Edition AT; EPA-estimated 9 city/27 hwy/21 combined mpg rating for 2024 GR Supra 3.0 MT, 3.0 Premium MT and 45th Anniversary Edition AT; EPA-estimated 9 city/27 hwy/21 combined mpg rating for 2024 GR Supra 3.0 MT, 3.0 Premium MT and 45th Anniversary Edit

Toyota strives to build vehicles to match customer interest and thus they typically are built with popular options and option packages. Not all options/packages are available separately and some may not be available in all regions of the country. See toyota.com for information about options/packages commonly available in your area. If you would prefer a vehicle without any or with different options, contact your dealer to check for current availability or the possibility of placing a special order.

Color(s) depicted may vary based on multiple factors, including ambient lighting and the format in which it is being viewed (e.g., computer, mobile device or print). Some vehicles are shown with available equipment. Seatbelts should be worn at all times. For details on vehicle specifications, standard features and available equipment in your area, contact your Toyota dealer. A vehicle with particular equipment may not be available at the dealership. Ask your Toyota dealer to help locate a specifically equipped vehicle. All information presented herein is based on data available at the time of posting, is subject to change without notice and pertains specifically to mainland U.S.A. vehicles only. Vehicles shown may be prototypes, shown using visual effects and/or shown with options. Actual models may vary.



For Toyota Mobility program details, go to www.toyota.com/mobility or call the Toyota Brand Engagement Center at 1-800-331-4331